

# Chemical Feed Stations

Complete ready to use Chemical Feed Stations (CFS) allow you to handle small amounts of liquids and other chemicals without the handling costs and inconvenient disposal of drums. Lightweight, easy to handle, and self contained construction adds to the complete ready to use design. Added features such as molded pump shelves, polyethylene primary tank stands, custom design fittings, and accessories help to individualize any customer's needs. Chemical Feed Stations are constructed from high density crosslink polyethylene or FDA compliant linear polyethylene.



Polyethylene pump shelf supports most pumps and metering devices. Optional fiberglass shelves are available for pumps and metering devices totaling 25 pounds or more.



Optional polyethylene stands, which may be stacked 2-high, support the primary tank for gravity feed.

Model Number	Capacity (US Gallons)	Dimensions (inches)			Access Opening (inches)
		Length	Width	Height	
<b>CFS 40</b>	40	32	26	38	16
<b>CFS 60</b>	60	47	32	42	16
<b>CFS 80</b>	80	47	32	49	16
<b>CFS 140</b>	140	52	38	58	16
<b>CFS 175</b>	175	60	43	51	16
<b>CFS 200</b>	200	60	43	57	16
<b>CFS 250</b>	250	72	43	69	16
<b>CFS 300</b>	300	72	43	82	16
<b>CFS 550</b>	550	83	64	82	16

Model number availability and individual specifications subject to change without notice. Gallonage and weights are approximate. All wall thicknesses conform to ASTM D-1998.



Certified to NSF/ANSI 61



Phone: 888-357-3181 • Fax: 888-Tank Fax (826-5329)  
Phone: 260-357-3181 • Fax: 260-357-3738

E-mail: [info@assmann-usa.com](mailto:info@assmann-usa.com) • Internet: [www.assmann-usa.com](http://www.assmann-usa.com)